



A B I N F L A T A B L E S

oceanus

11VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 11' / 3.35m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
Overall Beam	: 5'8" / 1.73m	Person Capacity	: 5	Gas Built in Tank	: 10 Gal / 38 L
Inside Length	: 8'1" / 2.47m	Weight	: 370lb / 168kg	RDC Design Category	: C
Inside Beam	: 2'9" / 0.84m	Recommended HP	: 30hp / 22.4kw		
Tube Diameter	: 17" / 0.43m	Maximum HP	: 40hp / 29.8kw		

S T A N D A R D

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Single Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Panel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs

O P T I O N A L

- Stainless Steel Light Arch
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package



www.abinflatables.com

oceanus

12VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 12' / 3.66m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
Overall Beam	: 6'1" / 1.86m	Person Capacity	: 6	Gas Built in Tank	: 14 Gal / 53 L
Inside Length	: 9'4" / 2.84m	Weight	: 456 lb / 207kg	RDC Design Category : C	
Inside Beam	: 3' / 0.91m	Recommended HP	: 40hp / 29.8kw		
Tube Diameter	: 17" / 0.43m	Maximum HP	: 50hp / 37.3kw		

S T A N D A R D

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Single Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Pannel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs

O P T I O N A L

- Stainless Steel Light Arch
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package





A B I N F L A T A B L E S

oceanus

13VST

Fiberglass Console Tenders



S P E C S

Overall Length : 13' / 3.96m	Number of Chambers : 3	Shaft Length : 20" / 50.8cm
Overall Beam : 6'4" / 1.93m	Person Capacity : 7	Gas Built in Tank : 14 Gal / 53 L
Inside Length : 9'9" / 2.97m	Weight : 477lb / 217kg	RDC Design Category : C
Inside Beam : 3'1" / 0.94m	Recommended HP : 40hp / 29.8kw	
Tube Diameter : 18" / 0.46m	Maximum HP : 60hp / 44.8kw	

S T A N D A R D

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Forward Seat & Cushion
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Panel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs

O P T I O N A L

- Stainless Steel Light Arch
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package



www.abinflatables.com

oceanus

14VST

Fiberglass Console Tenders



S P E C S	Overall Length : 14' / 4.27m	Number of Chambers : 5	Shaft Length : 20" / 50.8cm
	Overall Beam : 6'5" / 1.96m	Person Capacity : 8	Gas Built in Tank : 14 Gal / 53 L
	Inside Length : 10'10" / 3.30m	Weight : 510lb / 232kg	RDC Design Category : C
	Inside Beam : 3'1" / 0.94m	Recommended HP : 50hp / 37.3kw	
	Tube Diameter : 19" / 0.48m	Maximum HP : 70hp / 52.2kw	

S T A N D A R D	<ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Splash well, Draining ■ 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes ■ 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes ■ 1 Port Inside Transom Sets of 2 Orca (CSM) Fabric Handles on Tubes ■ 2 Stainless Steel Bow Handles on Tubes ■ Raised Double Rub Rail ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Orca (CSM) Five Layer Coated Fabric ■ Hand Pump ■ Maintenance Kit 	<ul style="list-style-type: none"> ■ Owner's Manual ■ Closed Cell Foam Upholstery ■ Fiberglass Console with Forward Seat & Cushion ■ Integrated Stern Seat with Storage ■ 2 Deck Drain & Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Console Front Access Lid ■ Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights ■ 360° LED White Light Navigation Pole ■ Stainless Steel Grab Handles on Tubes ■ Lateral Fold Down Stainless Steel Cleat ■ 4 Stainless Steel Davit Lifting Points ■ Stainless Steel Bow Eye ■ Stainless Steel Tow Rings & Tie Downs ■ Stainless Steel Console Grab Rail 	<ul style="list-style-type: none"> ■ Plexiglass Windshield ■ Luxury Look Pannel ■ 4 Waterproof Rocker Switches with Circuit Brakers ■ Battery Box ■ Battery Switch ■ Fuel and Water Separator Filter ■ Sending Unit ■ Automatic Bilge Pump 500 GPH ■ Mechanical Steering System ■ Stainless Steel Steering Wheel ■ Complete Tin Wiring & Heat Shrink Sealed Terminal ■ 3 Layer Reinforced Seams ■ Stainless Steel Gas Springs
-----------------	---	---	--

O P T I O N A L	<ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Bimini Top with Stainless Steel Tubing ■ Chock Set ■ Boat Cover ■ Console Cover ■ Stainless Steel Ski Tow 	<ul style="list-style-type: none"> ■ Lifting Harness ■ Teak Floor ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package
-----------------	---	---





oceanus

15VST

Fiberglass Console Tenders



S P E C S	Overall Length : 15' / 4.57m	Number of Chambers : 5	Shaft Length : 20" / 50.8cm
	Overall Beam : 6'6" / 1.99m	Person Capacity : 9	Gas Built in Tank : 25 Gal / 95 L
	Inside Length : 11'6" / 3.50m	Weight : 605lb / 275kg	RDC Design Category : C
	Inside Beam : 3'2" / 0.97m	Recommended HP : 60hp / 44.8kw	
	Tube Diameter : 19" / 0.48m	Maximum HP : 75hp / 56.0kw	

S T A N D A R D	<ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Splash well, Draining ■ 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes ■ 1 Port Inside Transom Sets of 2 Orca (CSM) Fabric Handles on Tubes ■ 2 Stainless Steel Bow Handles on Tubes ■ Raised Double Rub Rail ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Orca (CSM) Five Layer Coated Fabric ■ Hand Pump ■ Maintenance Kit 	<ul style="list-style-type: none"> ■ Owner's Manual ■ Fully Upholstered Seating - Spradling® ■ Fiberglass Console with Forward Seat & Cushion ■ Integrated Stern Seat with Storage ■ 2 Deck Drain & Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Console Front Access Lid ■ Bow Step with Cushion, Fold Down Stainless Steel Cleat & LED Navigation lights ■ 360° LED White Anchor Light Pole ■ Stainless Steel Grab Handles on Tubes ■ Lateral Fold Down Stainless Steel Cleat ■ 4 Stainless Steel Davit Lifting Points ■ Stainless Steel Bow Eye ■ Stainless Steel Tow Rings & Tie Downs ■ Stainless Steel Console Grab Rail 	<ul style="list-style-type: none"> ■ Plexiglass Windshield ■ Luxury Look Panel ■ 4 Waterproof Rocker Switches with Circuit Brakers ■ Battery Box ■ Battery Switch ■ Fuel and Water Separator Filter ■ Fuel Sending Unit ■ Automatic Bilge Pump 500 GPH ■ Mechanical Steering System ■ Stainless Steel Steering Wheel ■ Complete Tin Wiring & Heat Shrink Sealed Terminals ■ 3 Layer Reinforced Seams ■ Stainless Steel Gas Springs
------------------------	--	--	---

O P T I O N A L	<ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Transom Ladder ■ Bimini Top with Stainless Steel Tubing ■ Chock Set ■ Boat Cover ■ Console Cover ■ Stainless Steel Ski Tow 	<ul style="list-style-type: none"> ■ Lifting Harness ■ Teak Floor ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package
------------------------	---	---





oceanus

17VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 17' / 5.18m	Number of Chambers	: 5	Shaft Length	: 20" / 50.8cm
Overall Beam	: 8'1" / 2.46m	Person Capacity	: 12	Gas Built in Tank	: 33 Gal / 125 L
Inside Length	: 13'1" / 3.99m	Weight	: 1104lb / 502kg	Water Built in Tank	: 10 Gal / 381L
Inside Beam	: 4'2" / 1.27m	Recommended HP	: 90hp / 67.1kw	RDC Design Category	: C
Tube Diameter	: 20" / 0.51m	Maximum HP	: 115hp / 85.8kw		

S T A N D A R D

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank With Pump and Shower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 2 SS Drink Holders on console
- Height Adjustable Steering Helm
- Stern SS Grab Rails for Added Safety
- 4 Side (CSM) Fabric Handles on Tubes
- 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Set of 2 Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Forward Seat & Cushion
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Pannel
- 8 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Automatic Bilge Pump 500 GPH
- Hydraulic Steering System
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 4 Layer Reinforced Seams
- Battery Charger
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L

- Stainless Steel Light Arch
- Transom Ladder
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Stainless Steel Ski Tow
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders





A B I N F L A T A B L E S

oceanus

19VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 19' / 5.79m	Number of Chambers	: 5	Shaft Length	: 25" / 63.5cm
Overall Beam	: 8'4" / 2.53m	Person Capacity	: 15	Gas Built in Tank	: 44 Gal / 167 L
Inside Length	: 14'11" / 4.55m	Weight	: 1252lb / 569kg	Water Built in Tank	: 11 Gal / 42 L
Inside Beam	: 4'4" / 1.32m	Recommended HP	: 115hp / 85.8kw	RDC Design Category	: C
Tube Diameter	: 22" / 0.56m	Maximum HP	: 150hp / 111.9kw		

S T A N D A R D

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank With Pump and Shower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Set of 2 Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Forward Seat & Cushion
- Leaning Bolster
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Cushion, Fold Down Stainless Steel Cleat & LED Navigation lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stern Foldable Ladder
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Panel
- 8 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 750 GPH
- Hydraulic Steering System
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 4 Layer Reinforced Seams
- Battery Charger
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L

- Stainless Steel Light Arch
- Aluminum T--Top
- Transom Ladder
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Stainless Steel Ski Tow
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders



www.abinflatables.com



A B I N F L A T A B L E S

oceanus

21VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 21'4" / 6.50m	Number of Chambers	: 6	Shaft Length	: 25" / 63.5cm
Overall Beam	: 8'10" / 2.70m	Person Capacity	: 18	Gas Built in Tank	: 63 Gal / 240 L
Inside Length	: 17'3" / 5.25m	Weight	: 1808lb / 820kg	Water Built in Tank	: 12 Gal / 45 L
Inside Beam	: 4'9" / 1.44m	Recommended HP	: 150hp / 111.9kw	RDC Design Category	: C
Tube Diameter	: 22" / 0.56m	Maximum HP	: 225hp / 167.5kw		

S T A N D A R D

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Non-skid Deck
- Integrated Bow Rider Seats with Cup Holders
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank With Pump and Shower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 4 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Transom Sets of 2 Orca(CMS) Fabric Handles on Tubes
- Raised Solid Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Heavy Duty Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Fully Upholstered Seating - Spradling ®
- Fiberglass Console with Cup Holders
- Lockable Glove Compartment
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Fiberglass Leaning Bolster
- Integrated Stern Seat with Storage, Cup Holders & Hand Rails
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/ Seat
- Integrated Bow rider Seats
- 1 Large Bow Locker/Seat Compartments with Drain
- 2 Side Bow Locker Compartments with Drain
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
- 360° LED White Light Anchor Pole
- Lateral Fold Down Stainless Steel Cleat
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Recessed SS Ladder
- Luxury Look Panel
- 8 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Fuel Sending Unit
- Automatic Bilge Pump 750 GPH
- Hydraulic Steering System
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 4 Layer Reinforced Seams
- Bow Hatch Cushion
- Battery Charger (Subject to Country of Delivery)
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L

- Sunbed in Bow
- Aluminum Leaning Bolster
- Stainless Steel Light Arch
- Aluminum T-Top
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Stainless Steel Ski Tow
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders



www.abinflatables.com



A B I N F L A T A B L E S

oceanus

24VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 24' / 7.31m	Number of Chambers	: 6	Shaft Length	: 25" / 63.5cm
Overall Beam	: 9'3" / 2.82m	Person Capacity	: 20	Gas Built in Tank	: 64 Gal / 242 L
Inside Length	: 19'3" / 5.87m	Weight	: 2213lb / 1006kg	Water Built in Tank	: 12 Gal / 45 L
Inside Beam	: 5'4" / 1.64m	Recommended HP	: 150hp / 111.9kw	RDC Design Category	: B
Tube Diameter	: 24" / 0.61m	Maximum HP	: 250hp / 186.5kw		

S T A N D A R D

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank With Pump and Shower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 2 Front & 6 Side Orca (CSM) Fabric Handles on Tubes
- 2 Bow Inside Sets of 8 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Transom Sets of 5 Orca(CSM) Fabric Handles on Tubes
- Raised Solid Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Heavy Duty Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Fully Upholstered Seating - Spradling®
- Fiberglass Console with Cup Holder, Forward Seat & Cushion
- Lockable Glove Compartment
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Leaning Bolster
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/ Seat
- Integrated Bow rider Seats
- 2 Large Bow Locker/Seat Compartments with Drain
- 2 Side Bow Locker Compartments with Drain
- 2 Stern Lockers
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
- 360° LED White Light Anchor Pole
- Lateral Fold Down Stainless Steel Cleat
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Luxury Look Panel
- 8 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Fuel Sending Unit
- Automatic Bilge Pump 750 GPH
- Hydraulic Steering System
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 4 Layer Reinforced Seams
- Bow Hatch Cushion
- Battery Charger (Subject to Country of Delivery)
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L

- Stainless Steel Light Arch
- Aluminum T-Top
- Transom Ladder
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Stainless Steel Ski Tow
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders



www.abinflatables.com



A B I N F L A T A B L E S

oceanus

28VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 27' 4" / 8.33m	Number of Chambers	: 6	Shaft Length	: 30" / 76.2cm
Overall Beam	: 10' 1" / 3.07m	Person Capacity	: 25	Gas Built in Tank	: 189 Gal / 715 L
Inside Length	: 22' 11" / 6.99m	Weight	: 2853lb / 1297kg	Water Built in Tank	: 12 Gal / 45 L
Inside Beam	: 6' 4" / 1.93m	Recommended HP	: 250hp / 186.5kw	RDC Design Category	: B
Tube Diameter	: 24" / 0.61m	Maximum HP	: 500hp / 372.9kw		

S T A N D A R D

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank With Pump and Shower
- Aluminum Engine Bracket
- 2 Front Orca (CSM) Fabric Handles on Tubes
- 2 Bow Inside Sets of 10 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Transom Sets of 8 Orca (CSM) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Heavy Duty Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Forward Seat & Cushion
- Leaning Bolster
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- 2 Deck Drain Scuppers & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Lateral Fold Down Stainless Steel Cleat
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Pannel
- 8 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- 2 Automatic Bilge Pump 750 GPH
- Hydraulic Steering System
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 4 Layer Reinforced Seams
- Battery Charger
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L

- Aluminum T-Top
- Transom Ladder
- Chock Set
- Boat Cover
- Console Cover
- Stainless Steel Ski Tow
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders



www.abinflatables.com